



# 777 BLEND IN THINNER

Technical Data Sheet No 303

Special thinner (reducer) for blending of topcoats

Contains universal thinner

Fade-out thinner

Colorless

## General Technical Description

2-3 light coats

Specially formulated thinner/reducer for the fade out of the mist, on borderline areas, ideal for spot repairs.

## Surface

On HB BODY primed surfaces

## Pretreatment / Cleaning of substrate



No pre treatment necessary.

Make sure the surface is first wiped dry then air dried.



Make sure you always use appropriate face protection and good ventilation.

## Product Application:



Mix 10-20% of 777 BLEND-IN THINNER with the ready made paint just before the final mist is applied



Always wear protective equipment



Apply the final mist of the colour shade on the outline of the repaired area



Follow the application instructions mentioned in this TDS



Flash off time 10-15 min 23°C (73°F)

*Note: Paint procedures should be followed accordingly in order to fix a spot repair. Fade out thinner should be used on the ready thinned paint by adding approximately 10-20% of the product in the spray gun in order to apply the final coat.*



Immediately apply again 777 BLEND-IN THINNER / REDUCER

**Flash Point:**  
20°C / 68°F

**Specific Gravity:**  
0.90g/cm<sup>3</sup>

**Solid Content (No thinner):**  
-

**VOC (2004/42/EC)**  
-

**Theoretical Coverage:**  
-

## Remarks:

- Always try to use the product in accordance with the specifications provided.
- It can be used by countries that do not adopt the VOC legislation as well.
- Shake for 1-2 mins after agitator ball has started to rattle. After preparing the area to be painted ensure it to be free from dirt, wax, oil etc. Test on a similar surface using a back and forth action.
- Shake thoroughly before use.
- Optimum operating range +10°C to +35°C (50°F - 95°F)

## Storage shelf life:

- Store in a cool place +5°C - +25°C (+41°F - +77°F) and use within 12 months for best results. Guaranteed shelf life of 24 months in unused original containers.

For professional use only. The information displayed on this sheet has been carefully selected through a series of laboratory investigations. It is based on our best knowledge at the time of issue. The data is given for information purposes only. We are not liable for its correctness, accuracy and completeness. It is up to the user to check for newer updates or further information if needed for his intended purpose. The intellectual property of this product, trademarks and copyrights is protected. All rights reserved. The relevant Material Safety Data Sheet and warnings displayed on the label must be read carefully. We may modify and / or discontinue operation of all or portions of this information at any time in our sole discretion, without any notice and assume no responsibility to update the information. All rules set forth in this clause shall apply accordingly for any future changes and amendments.